#### SEQUENCE LISTING

#### (1) GENERAL INFORMATION:

- (i) APPLICANT: De Robertis, Edward M. Bouwmeester, Tewis
- (ii) TITLE OF INVENTION: Endoderm, Cardiac and Neural Inducing Factors
- (iii) NUMBER OF SEQUENCES: 10
  - (iv) CORRESPONDENCE ADDRESS:
    - (A) ADDRESSEE: Majestic, Parsons, Siebert & Hsue
    - (B) STREET: Four Embarcadero Center, Suite 1100
    - (C) CITY: San Francisco
    - (D) STATE: California
    - (E) COUNTRY: U.S.A.
    - (F) ZIP: 94111-4106
    - (V) COMPUTER READABLE FORM:
      - (A) MEDIUM TYPE: Floppy disk
      - (B) COMPUTER: IBM PC compatible
      - (C) OPERATING SYSTEM: PC-DOS/MS-DOS
      - (D) SOFTWARE: PatentIn Release #1.0, Version #1.25
- (vi) CURRENT APPLICATION DATA:
  - (A) APPLICATION NUMBER: US 08/878,474
  - (B) FILING DATE: 18-JUN-1997
  - (C) CLASSIFICATION:
- (vii) PRIOR APPLICATION DATA:
  - (A) APPLICATION NUMBER: US 60/020,150
  - (B) FILING DATE: 20-JUN-1996
- (Viii) ATTORNEY/AGENT INFORMATION:
  - (A) NAME: Siebert, J. Suzanne
  - (B) REGISTRATION NUMBER: 28,758
  - (C) REFERENCE/DOCKET NUMBER: 3100.002US1
  - (ix) TELECOMMUNICATION INFORMATION:
    - (A) TELEPHONE: 415/248-5500
    - (B) TELEFAX: 415/362-5418

### (2) INFORMATION FOR SEQ ID NO:1:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 270 amino acids
  - (B) TYPE: amino acid
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: peptide
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:1:

Met Leu Leu Asn Val Leu Arg Ile Cys Ile Ile Val Cys Leu Val Asn 1 10 15

Asp Gly Ala Gly Lys His Ser Glu Gly Arg Glu Arg Thr Lys Thr Tyr 20 25 30

Ser Leu Asn Ser Arg Gly Tyr Phe Arg Lys Glu Arg Gly Ala Arg Arg 35 40 45

Ser Lys Ile Leu Leu Val Asn Thr Lys Gly Leu Asp Glu Pro His Ile 50 55 60

Gly His Gly Asp Phe Gly Leu Val Ala Glu Leu Phe Asp Ser Thr Arg 65 70 75 80

Thr His Thr Asn Arg Lys Glu Pro Asp Met Asn Lys Val Lys Leu Phe 85 90 95

Ser Thr Val Ala His Gly Asn Lys Ser Ala Arg Arg Lys Ala Tyr Asn 100 105 110

Gly Ser Arg Arg Asn Ile Phe Ser Arg Arg Ser Phe Asp Lys Arg Asn 115 120 125

Thr Glu Val Thr Glu Lys Pro Gly Ala Lys Met Phe Trp Asn Asn Phe 130 135 140

Leu Val Lys Met Asn Gly Ala Pro Gln Asn Thr Ser His Gly Ser Lys 145 150 155 160

Ala Gln Glu Ile Met Lys Glu Ala Cys Lys Thr Leu Pro Phe Thr Gln 165 170 175

Asn Ile Val His Glu Asn Cys Asp Arg Met Val Ile Gln Asn Asn Leu 180 185 190

Cys Phe Gly Lys Cys Ile Ser Leu His Val Pro Asn Gln Gln Asp Arg

Arg Asn Thr Cys Ser His Cys Leu Pro Ser Lys Phe Thr Leu Asn His 210 215 220

Leu Thr Leu Asn Cys Thr Gly Ser Lys Asn Val Val Lys Val Val Met 225

Met Val Glu Glu Cys Thr Cys Glu Ala His Lys Ser Asn Phe His Gln 255

Thr Ala Gln Phe Asn Met Asp Thr Ser Thr Thr Leu His His 270

#### (2) INFORMATION FOR SEQ ID NO:2:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 1411 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: cDNA
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:2:

GAATTCCTAA AAGCGGCA	ACA GTGCAGGAAC	AGCAAGTCGC	TCAGAAACAC	TGCAGGGTCT	60
AGATATCATA CAATGTTA	CT AAATGTACTC	AGGATCTGTA	TTATCGTCTG	CCTTGTGAAT	120
GATGGAGCAG GAAAACAC	TC AGAAGGACGA	GAAAGGACAA	AAACATATTC	ACTTAACAGC	180
AGAGGTTACT TCAGAAAA	AGA AAGAGGAGCA	CGTAGGAGCA	AGATTCTGCT	GGTGAATACT	240
AAAGGTCTTG ATGAACCC	CA CATTGGGCAT	GGTGATTTTG	GCTTAGTAGC	TGAACTATTT	300
GATTCCACCA GAACACAT	AC AAACAGAAAA	GAGCCAGACA	TGAACAAAGT	CAAGCTTTTC	360
TCAACAGTTG CCCATGGA	AA CAAAAGTGCA	AGAAGAAAAG	CTTACAATGG	TTCTAGAAGG	420
AATATTTTT CTCGCCGI	TTC TTTTGATAAA	AGAAATACAG	AGGTTACTGA	AAAGCCTGGT	480
GCCAAGATGT TCTGGAAC	CAA TTTTTTGGTT	AAAATGAATG	GAGCCCCACA	GAATACAAGC	540
CATGGCAGTA AAGCACAG	GA AATAATGAAA	GAAGCTTGCA	AAACCTTGCC	CTTCACTCAG	600
AATATTGTAC ATGAAAAC	TG TGACAGGATG	GTGATACAGA	ACAATCTGTG	CTTTGGTAAA	660
TGCATCTCTC TCCATGTT	CC AAATCAGCAA	GATCGACGAA	ATACTTGTTC	CCATTGCTTG	720
CCGTCCAAAT TTACCCTG	AA CCACCTGACG	CTGAATTGTA	CTGGATCTAA	GAATGTAGTA	780
AAGGTTGTCA TGATGGTA	GA GGAATGCACG	TGTGAAGCTC	ATAAGAGCAA	CTTCCACCAA	840

ACTGCACAGT	TTAACATGGA	TACATCTACT	ACCCTGCACC	ATTAAAAGGA	CTGTCTGCCA	900
TACAGTATGG	AAATGCCCAT	TTGTTGGAAT	ATTCGTTACA	TGCTATGTAT	CTAAAGCATT	960
ATGTTGCCTT	CTGTTTCATA	TAACCACATG	GAATAAGGAT	TGTATGAATT	ATAATTAACA	1020
AATGGCATTT	TGTGTAACAT	GCAAGATCTC	TGTTCCATCA	GTTGCAAGAT	AAAAGGCAAT	1080
ATTTGTTTGA	CTTTTTCTA	CAAAATGAAT	ACCCAAATAT	ATGATAAGAT	AATGGGGTCA	1140
AAACTGTTAA	GGGGTAATGT	AATAATAGGG	ACTAACAACC	AATCAGCAGG	TATGATTTAC	1200
TGGTCACCTG	TTTAAAAGCA	AACATCTTAT	TGGTTGCTAT	GGGTTACTGC	TTCTGGGCAA	1260
AATGTGTGCC	TCATAGGGGG	GTTAGTGTGT	TGTGTACTGA	ATTAATTGTA	TTTATTTCAT	1320
TGTTACAATG	AAGAGGATGT	CTATGTTTAT	TTCACTTTTA	TTAATGTACA	ATAAATGTTC	1380
TTGTTTCTTT	ААААААААА	AAAAACTCGA	G			1411

- (2) INFORMATION FOR SEQ ID NO:3:
  - (i) SEQUENCE CHARACTERISTICS:
    - (A) LENGTH: 318 amino acids
    - (B) TYPE: amino acid
    - (D) TOPOLOGY: linear
  - (ii) MOLECULE TYPE: peptide
  - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:3:

Met Ser Arg Thr Arg Lys Val Asp Ser Leu Leu Leu Leu Ala Ile Pro 1 5 10 15

Gly Leu Ala Leu Leu Leu Pro Asn Ala Tyr Cys Ala Ser Cys Glu 20 25 30

Pro Val Arg Ile Pro Met Cys Lys Ser Met Pro Trp Asn Met Thr Lys 35 40 45

Met Pro Asn His Leu His His Ser Thr Gln Ala Asn Ala Ile Leu Ala 50 55 60

Ile Glu Gln Phe Glu Gly Leu Leu Thr Thr Glu Cys Ser Gln Asp Leu 65 70 75 80

Leu Phe Phe Leu Cys Ala Met Tyr Ala Pro Ile Cys Thr Ile Asp Phe 85 90 95

305

Gln His Glu Pro Ile Lys Pro Cys Lys Ser Val Cys Glu Arg Ala Arg 100 Ala Gly Cys Glu Pro Ile Leu Ile Lys Tyr Arg His Thr Trp Pro Glu Ser Leu Ala Cys Glu Glu Leu Pro Val Tyr Asp Arg Gly Val Cys Ile Ser Pro Glu Ala Ile Val Thr Val Glu Gln Gly Thr Asp Ser Met Pro 160 145 150 Asp Phe Ser Met Asp Ser Asn Asn Gly Asn Cys Gly Ser Gly Arg Glu His Cys Lys Cys Lys Pro Met Lys Ala Thr Gln Lys Thr Tyr Leu Lys Asn Asn Tyr Asn Tyr Val Ile Arg Ala Lys Val Lys Glu Val Lys Val Lys Cys His Asp Ala Thr Ala Ile Val Glu Val Lys Glu Ile Leu Lys 210 215 Ser Ser Leu Val Asn Ile Pro Lys Asp Thr Val Thr Leu Tyr Thr Asn 235 230 Ser Gly Cys Leu Cys Pro Gln Leu Val Ala Asn Glu Glu Tyr Ile Ile 250 Met Gly Tyr Glu Asp Lys Glu Arg Thr Arg Leu Leu Leu Val Glu Gly 270 Ser Leu Ala Glu Lys Trp Arg Asp Arg Leu Ala Lys Lys Val Lys Arg 280 275 Trp Asp Gln Lys Leu Arg Arg Pro Arg Lys Ser Lys Asp Pro Val Ala Pro Ile Pro Asn Lys Asn Ser Asn Ser Arg Gln Ala Arg Ser

315

#### (2) INFORMATION FOR SEQ ID NO:4:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 1875 base pairs
  - (B) TYPE: nucleic acid

310

- (C) STRANDEDNESS: double
- (D) TOPOLOGY: linear

# (ii) MOLECULE TYPE: cDNA

# (xi) SEQUENCE DESCRIPTION: SEQ ID NO:4:

GAATTCCCTT	TCACACAGGA	CTCCTGGCAG	AGGTGAATGG	TTAGCCCTAT	GGATTTGGTT	60
TGTTGATTTT	GACACATGAT	TGATTGCTTT	CAGATAGGAT	TGAAGGACTT	GGATTTTTAT	120
CTAATTCTGC	ACTTTTAAAT	TATCTGAGTA	ATTGTTCATT	TTGTATTGGA	TGGGACTAAA	180
GATAAACTTA	ACTCCTTGCT	TTTGACTTGC	CCATAAACTA	TAAGGTGGGG	TGAGTTGTAG	240
TTGCTTTTAC	ATGTGCCCAG	ATTTTCCCTG	TATTCCCTGT	ATTCCCTCTA	AAGTAAGCCT	300
ACACATACAG	GTTGGGCAGA	ATAACAATGT	CTCGAACAAG	GAAAGTGGAC	TCATTACTGC	360
TACTGGCCAT	ACCTGGACTG	GCGCTTCTCT	TATTACCCAA	TGCTTACTGT	GCTTCGTGTG	420
AGCCTGTGCG	GATCCCCATG	TGCAAATCTA	TGCCATGGAA	CATGACCAAG	ATGCCCAACC	480
ATCTCCACCA	CAGCACTCAA	GCCAATGCCA	TCCTGGCAAT	TGAACAGTTT	GAAGGTTTGC	540
TGACCACTGA	ATGTAGCCAG	GACCTTTTGT	TCTTTCTGTG	TGCCATGTAT	GCCCCCATTT	600
GTACCATCGA	TTTCCAGCAT	GAACCAATTA	AGCCTTGCAA	GTCCGTGTGC	GAAAGGGCCA	660
GGGCCGGCTG	TGAGCCCATT	CTCATAAAGT	ACCGGCACAC	TTGGCCAGAG	AGCCTGGCAT	720
GTGAAGAGCT	GCCCGTATAT	GACAGAGGAG	TCTGCATCTC	CCCAGAGGCT	ATCGTCACAG	780
TGGAACAAGG	AACAGATTCA	ATGCCAGACT	TCTCCATGGA	TTCAAACAAT	GGAAATTGCG	840
GAAGCGGCAG	GGAGCACTGT	AAATGCAAGC	CCATGAAGGC	AACCCAAAAG	ACGTATCTCA	900
AGAATAATTA	CAATTATGTA	ATCAGAGCAA	AAGTGAAAGA	GGTGAAAGTG	AAATGCCACG	960
ACGCAACAGC	AATTGTGGAA	GTAAAGGAGA	TTCTCAAGTC	TTCCCTAGTG	AACATTCCTA	1020
AAGACACAGT	GACACTGTAC	ACCAACTCAG	GCTGCTTGTG	CCCCCAGCTT	GTTGCCAATG	1080
AGGAATACAT	AATTATGGGC	TATGAAGACA	AAGAGCGTAC	CAGGCTTCTA	CTAGTGGAAG	1140
GATCCTTGGC	CGAAAAATGG	AGAGATCGTC	TTGCTAAGAA	AGTCAAGCGC	TGGGATCAAA	1200
AGCTTCGACG	TCCCAGGAAA	AGCAAAGACC	CCGTGGCTCC	AATTCCCAAC	AAAAACAGCA	1260
ATTCCAGACA	AGCGCGTAGT	TAGACTAACG	GAAAGGTGTA	TGGAAACTCT	ATGGACTTTG	1320
AAACTAAGAT	TTGCATTGTT	GGAAGAGCAA	AAAAGAAATT	GCACTACAGC	ACGTTATATT	1380
CTATTGTTTA	CTACAAGAAG	CTGGTTTAGT	TGATTGTAGT	TCTCCTTTCC	TTCTTTTTT	1440

TTATAACTAT ATTTGCACGT GTTCCCAGGC AATTGTTTTA TTCAACTTCC AGTGACAGAG 1500 CAGTGACTGA ATGTCTCAGC CTAAAGAAGC TCAATTCATT TCTGATCAAC TAATGGTGAC 1560 AAGTGTTTGA TACTTGGGGA AAGTGAACTA ATTGCAATGG TAAATCAGAG AAAAGTTGAC 1620 CAATGTTGCT TTTCCTGTAG ATGAACAAGT GAGAGATCAC ATTTAAATGA TGATCACTTT 1680 CCATTTAATA CTTTCAGCAG TTTTAGTTAG ATGACATGTA GGATGCACCT AAATCTAAAT 1740 ATTTTATCAT AAATGAAGAG CTGGTTTAGA CTGTATGGTC ACTGTTGGGA AGGTAAATGC 1800 CTACTTTGTC AATTCTGTTT TAAAAATTGC CTAAATAAAT ATTAAGTCCT AAATAAAAA 1860 ΑΑΑΑΑ ΑΑΑΑΑΑΑ 1875

#### (2) INFORMATION FOR SEQ ID NO:5:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 979 amino acids
  - (B) TYPE: amino acid
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: peptide
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:5:

Met Leu Leu Phe Arg Ala Ile Pro Met Leu Leu Gly Leu Met 1 5 10 15

Val Leu Gln Thr Asp Cys Glu Ile Ala Gln Tyr Tyr Ile Asp Glu Glu 20 25 30

Glu Pro Pro Gly Thr Val Ile Ala Val Leu Ser Gln His Ser Ile Phe 35 40 45

Asn Thr Thr Asp Ile Pro Ala Thr Asn Phe Arg Leu Met Lys Gln Phe 50 55 60

Asn Asn Ser Leu Ile Gly Val Arg Glu Ser Asp Gly Gln Leu Ser Ile 65 70 75 80

Met Glu Arg Ile Asp Arg Glu Gln Ile Cys Arg Gln Ser Leu His Cys 85 90 95

Asn Leu Ala Leu Asp Val Val Ser Phe Ser Lys Gly His Phe Lys Leu 100 105 110

Leu Asn Val Lys Val Glu Val Arg Asp Ile Asn Asp His Ser Pro His 115 120 125 Phe Pro Ser Glu Ile Met His Val Glu Val Ser Glu Ser Ser Ser Val 135 140 Gly Thr Arg Ile Pro Leu Glu Ile Ala Ile Asp Glu Asp Val Gly Ser 150 Asn Ser Ile Gln Asn Phe Gln Ile Ser Asn Asn Ser His Phe Ser Ile Asp Val Leu Thr Arg Ala Asp Gly Val Lys Tyr Ala Asp Leu Val Leu 180 Met Arq Glu Leu Asp Arg Glu Ile Gln Pro Thr Tyr Ile Met Glu Leu Leu Ala Met Asp Gly Gly Val Pro Ser Leu Ser Gly Thr Ala Val Val Asn Ile Arg Val Leu Asp Phe Asn Asp Asn Ser Pro Val Phe Glu Arg 230 235 240 225 Ser Thr Ile Ala Val Asp Leu Val Glu Asp Ala Pro Leu Gly Tyr Leu Leu Leu Glu Leu His Ala Thr Asp Asp Glu Gly Val Asn Gly Glu Ile Val Tyr Gly Phe Ser Thr Leu Ala Ser Gln Glu Val Arg Gln Leu Phe Lys Ile Asn Ser Arg Thr Gly Ser Val Thr Leu Glu Gly Gln Val 295 290 Asp Phe Glu Thr Lys Gln Thr Tyr Glu Phe Glu Val Gln Ala Gln Asp 310 305 Leu Gly Pro Asn Pro Leu Thr Ala Thr Cys Lys Val Thr Val His Ile 325 Leu Asp Val Asn Asp Asn Thr Pro Ala Ile Thr Ile Thr Pro Leu Thr 340 345 350 Thr Val Asn Ala Gly Val Ala Tyr Ile Pro Glu Thr Ala Thr Lys Glu 355 365 Asn Phe Ile Ala Leu Ile Ser Thr Thr Asp Arg Ala Ser Gly Ser Asn 375 380

Gly Gln Val Arg Cys Thr Leu Tyr Gly His Glu His Phe Lys Leu Gln 385 390 Gln Ala Tyr Glu Asp Ser Tyr Met Ile Val Thr Thr Ser Thr Leu Asp 410 Arg Glu Asn Ile Ala Ala Tyr Ser Leu Thr Val Val Ala Glu Asp Leu Gly Phe Pro Ser Leu Lys Thr Lys Lys Tyr Tyr Thr Val Lys Val Ser Asp Glu Asn Asp Asn Ala Pro Val Phe Ser Lys Pro Gln Tyr Glu Ala 450 Ser Ile Leu Glu Asn Asn Ala Pro Gly Ser Tyr Ile Thr Thr Val Ile 470 Ala Arg Asp Ser Asp Ser Asp Gln Asn Gly Lys Val Asn Tyr Arg Leu 490 Val Asp Ala Lys Val Met Gly Gln Ser Leu Thr Thr Phe Val Ser Leu 510 Asp Ala Asp Ser Gly Val Leu Arg Ala Val Arg Ser Leu Asp Tyr Glu Lys Leu Lys Gln Leu Asp Phe Glu Ile Glu Ala Ala Asp Asn Gly Ile Pro Gln Leu Ser Thr Arg Val Gln Leu Asn Leu Arg Ile Val Asp Gln 560 550 555 Asn Asp Asn Cys Pro Val Ile Thr Asn Pro Leu Leu Asn Asn Gly Ser 565 570 575 Gly Glu Val Leu Leu Pro Ile Ser Ala Pro Gln Asn Tyr Leu Val Phe 580 585 590 Gln Leu Lys Ala Glu Asp Ser Asp Glu Gly His Asn Ser Gln Leu Phe Tyr Thr Ile Leu Arg Asp Pro Ser Arg Leu Phe Ala Ile Asn Lys Glu 610 Ser Gly Glu Val Phe Leu Lys Lys Gln Leu Asn Ser Asp His Ser Glu 635 625 630 Asp Leu Ser Ile Val Val Ala Val Tyr Asp Leu Gly Arg Pro Ser Leu 650 645

915

Ser Thr Asn Ala Thr Val Lys Phe Ile Leu Thr Asp Ser Phe Pro Ser 660 665 Asn Val Glu Val Val Ile Leu Gln Pro Ser Ala Glu Glu Gln His Gln 680 Ile Asp Met Ser Ile Ile Phe Ile Ala Val Leu Ala Gly Gly Cys Ala Leu Leu Leu Ala Ile Phe Phe Val Ala Cys Thr Cys Lys Lys Lys 710 705 Ala Gly Glu Phe Lys Gln Val Pro Glu Gln His Gly Thr Cys Asn Glu Glu Arg Leu Leu Ser Thr Pro Ser Pro Gln Ser Val Ser Ser Ser Leu Ser Gln Ser Glu Ser Cys Gln Leu Ser Ile Asn Thr Glu Ser Glu Asn 760 765 Cys Ser Val Ser Ser Asn Gln Glu Gln His Gln Gln Thr Gly Ile Lys 775 770 His Ser Ile Ser Val Pro Ser Tyr His Thr Ser Gly Trp His Leu Asp 795 785 790 Asn Cys Ala Met Ser Ile Ser Gly His Ser His Met Gly His Ile Ser 810 Thr Lys Asp Ser Gly Lys Gly Asp Ser Asp Phe Asn Asp Ser Asp Ser Asp Thr Ser Gly Glu Ser Gln Lys Lys Ser Ile Glu Gln Pro Met Gln Ala Gln Ala Ser Ala Gln Tyr Thr Asp Glu Ser Ala Gly Phe Arg His Ala Asp Asn Tyr Phe Ser His Arg Ile Asn Lys Gly Pro Glu Asn Gly 875 880 870 Asn Cys Thr Leu Gln Tyr Glu Lys Gly Tyr Arg Leu Ser Tyr Ser Val 885 Ala Pro Ala His Tyr Asn Thr Tyr His Ala Arg Met Pro Asn Leu His

Ile Pro Asn His Thr Leu Arg Asp Pro Tyr Tyr His Ile Asn Asn Pro 920

925

Val Ala Asn Arg Met His Ala Glu Tyr Glu Arg Asp Leu Val Asn Arg 930 935 940

Ser Ala Thr Leu Ser Pro Gln Arg Ser Ser Ser Arg Tyr Gln Glu Phe 945 950 955 960

Asn Tyr Ser Pro Gln Ile Ser Arg Gln Leu His Pro Ser Glu Ile Ala 965 970 975

Thr Thr Phe

### (2) INFORMATION FOR SEQ ID NO:6:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 3655 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: cDNA
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:6:

GAATTCCCAG AGATGAACTC CTTC	GAGATTG TTTTAAATGA	CTGCAGGTCT	GGAAGGATTC	60
ACATTGCCAC ACTGTTTCTA GGC	ATGAAAA AACTGCAAGT	TTCAACTTTG	TTTTTGGTGC	120
AACTTTGATT CTTCAAGATG CTG	CTTCTCT TCAGAGCCAT	TCCAATGCTG	CTGTTGGGAC	180
TGATGGTTTT ACAAACAGAC TGT	GAAATTG CCCAGTACTA	CATAGATGAA	GAAGAACCCC	240
CTGGCACTGT AATTGCAGTG TTG	TCACAAC ACTCCATATT	TAACACTACA	GATATACCTG	300
CAACCAATTT CCGTCTAATG AAG	CAATTTA ATAATTCCCT	TATCGGAGTC	CGTGAGAGTG	360
ATGGGCAGCT GAGCATCATG GAG	AGGATTG ACCGGGAGCA	AATCTGCAGG	CAGTCCCTTC	420
ACTGCAACCT GGCTTTGGAT GTG	GTCAGCT TTTCCAAAGG	ACACTTCAAG	CTTCTGAACG	480
TGAAAGTGGA GGTGAGAGAC ATT	AATGACC ATAGCCCTCA	CTTTCCCAGT	GAAATAATGC	540
ATGTGGAGGT GTCTGAAAGT TCC	TCTGTGG GCACCAGGAT	TCCTTTAGAA	ATTGCAATAG	600
ATGAAGATGT TGGGTCCAAC TCC	ATCCAGA ACTTTCAGAT	CTCAAATAAT	AGCCACTTCA	660
GCATTGATGT GCTAACCAGA GCA	GATGGGG TGAAATATGC	AGATTTAGTC	TTAATGAGAG	720
AACTGGACAG GGAAATCCAG CCA	ACATACA TAATGGAGCT	ACTAGCAATG	GATGGGGGTG	780

TACCATCACT	ATCTGGTACT	GCAGTGGTTA	ACATCCGAGT	CCTGGACTTT	AATGATAACA	840
GCCCAGTGTT	TGAGAGAAGC	ACCATTGCTG	TGGACCTAGT	AGAGGATGCT	CCTCTGGGAT	900
ACCTTTTGTT	GGAGTTACAT	GCTACTGACG	ATGATGAAGG	AGTGAATGGA	GAAATTGTTT	960
ATGGATTCAG	CACTTTGGCA	TCTCAAGAGG	TACGTCAGCT	ATTTAAAATT	AACTCCAGAA	1020
CTGGCAGTGT	TACTCTTGAA	GGCCAAGTTG	ATTTTGAGAC	CAAGCAGACT	TACGAATTTG	1080
AGGTACAAGC	CCAAGATTTG	GGCCCCAACC	CACTGACTGC	TACTTGTAAA	GTAACTGTTC	1140
ATATACTTGA	TGTAAATGAT	AATACCCCAG	CCATCACTAT	TACCCCTCTG	ACTACTGTAA	1200
ATGCAGGAGT	TGCCTATATT	CCAGAAACAG	CCACAAAGGA	GAACTTTATA	GCTCTGATCA	1260
GCACTACTGA	CAGAGCCTCT	GGATCTAATG	GACAAGTTCG	CTGTACTCTT	TATGGACATG	1320
AGCACTTTAA	ACTACAGCAA	GCTTATGAGG	ACAGTTACAT	GATAGTTACC	ACCTCTACTT	1380
TAGACAGGGA	AAACATAGCA	GCGTACTCTT	TGACAGTAGT	TGCAGAAGAC	CTTGGCTTCC	1440
CCTCATTGAA	GACCAAAAAG	TACTACACAG	TCAAGGTTAG	TGATGAGAAT	GACAATGCAC	1500
CTGTATTTTC	TAAACCCCAG	TATGAAGCTT	CTATTCTGGA	AAATAATGCT	CCAGGCTCTT	1560
ATATAACTAC	AGTGATAGCC	AGAGACTCTG	ATAGTGATCA	AAATGGCAAA	GTAAATTACA	1620
GACTTGTGGA	TGCAAAAGTG	ATGGGCCAGT	CACTAACAAC	ATTTGTTTCT	CTTGATGCGG	1680
ACTCTGGAGT	ATTGAGAGCT	GTTAGGTCTT	TAGACTATGA	AAAACTTAAA	CAACTGGATT	1740
TTGAAATTGA	AGCTGCAGAC	AATGGGATCC	CTCAACTCTC	CACTCGCGTT	CAACTAAATC	1800
TCAGAATAGT	TGATCAAAAT	GATAATTGCC	CTGTGATAAC	TAATCCTCTT	CTTAATAATG	1860
GCTCGGGTGA	AGTTCTGCTT	CCCATCAGCG	CTCCTCAAAA	CTATTTAGTT	TTCCAGCTCA	1920
AAGCCGAGGA	TTCAGATGAA	GGGCACAACT	CCCAGCTGTT	CTATACCATA	CTGAGAGATC	1980
CAAGCAGATT	GTTTGCCATT	AACAAAGAAA	GTGGTGAAGT	GTTCCTGAAA	AAACAATTAA	2040
ACTCTGACCA	TTCAGAGGAC	TTGAGCATAG	TAGTTGCAGT	GTATGACTTG	GGAAGACCTT	2100
CATTATCCAC	CAATGCTACA	GTTAAATTCA	TCCTCACCGA	СТСТТТТССТ	TCTAACGTTG	2160
AAGTCGTTAT	TTTGCAACCA	TCTGCAGAAG	AGCAGCACCA	GATCGATATG	TCCATTATAT	2220
TCATTGCAGT	GCTGGCTGGT	GGTTGTGCTT	TGCTACTTTT	GGCCATCTTT	TTTGTGGCCT	2280
GTACTTGTAA	AAAGAAAGCT	GGTGAATTTA	AGCAGGTACC	TGAACAACAT	GGAACATGCA	2340

ATGAAGAACG CCTGTTAAGC ACCCCATCTC CCCAGTCGGT CTCTTCTTCT TTGTCTCAGT 2400 CTGAGTCATG CCAACTCTCC ATCAATACTG AATCTGAGAA TTGCAGCGTG TCCTCTAACC 2460 AAGAGCAGCA TCAGCAAACA GGCATAAAGC ACTCCATCTC TGTACCATCT TATCACACAT 2520 CTGGTTGGCA CCTGGACAAT TGTGCAATGA GCATAAGTGG ACATTCTCAC ATGGGGCACA 2580 TTAGTACAAA GGACAGTGGC AAAGGAGATA GTGACTTCAA TGACAGTGAC TCTGATACTA 2640 GTGGAGAATC ACAAAAGAAG AGCATTGAGC AGCCAATGCA GGCACAAGCC AGTGCTCAAT 2700 ACACAGATGA ATCAGCAGGG TTCCGACATG CCGATAACTA TTTCAGCCAC CGAATCAACA 2760 AGGGTCCAGA AAATGGGAAC TGCACATTGC AATATGAAAA GGGCTATAGA CTGTCTTACT 2820 CTGTAGCTCC TGCTCATTAC AATACCTACC ATGCAAGAAT GCCTAACCTG CACATACCGA 2880 ACCATACCCT TAGAGACCCT TATTACCATA TCAATAATCC TGTTGCTAAT CGGATGCACG 2940 CGGAATATGA AAGAGATTTA GTCAACAGAA GTGCAACGTT ATCTCCGCAG AGATCGTCTA 3000 GCAGATACCA AGAATTCAAT TACAGTCCGC AGATATCAAG ACAGCTTCAT CCTTCAGAAA 3060 TTGCTACAAC CTTTTAATCA TTAGGCATGC AAGTGAGAAT GCACAAAGGC AAGTGCTTTA 3120 GCATGAAAGC TAAATATATG GAGTCTCCCC TTTCCCTCTG ATGGATGGGG GGAGACACAG 3180 GACAGTGCAT AAATATACAG CTGCTTTCTA TTTGCATTTC ACTTGGGAAT TTTTTGTTTT 3240 TTTTACATAT TTATTTTTCC TGAATTGAAT GTGACATTGT CCTGTCACCT AACTAGCAAT 3300 TAAATCCACA GACCTACAGT CAAATATTTG AGGGCCCCTG AAACAGCACA TCAGTCAGGA 3360 CCTAAAGTGG CCTTTTTACT TTTAGCAGCT CCTGGGTCTG CCCTCTGTGT TAATCAGCCC 3420 CTGGTCAAGT CCTGAGTAGG ATCATGGCGT TTTTATATGC ATCTCACCTA CTTTGGACGT 3480 GATTTACACA TAATAGGAAA CGCTTGGTTT CAGTGAAGTC TGTGTTGTAT ATATTCTGTT 3540 ATATACACGC ATTTTGTGTT TGTGTATATA TTTCAAGTCC ATTCAGATAT GTGTATATAG 3600 TGCAGACCTT GTAAATTAAA TATTCTGATA CTTTTTCCTC AATAAATATT TAAAT 3655

#### (2) INFORMATION FOR SEQ ID NO:7:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 323 amino acids
  - (B) TYPE: amino acid

- (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: peptide
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:7:

Met Val Cys Cys Gly Pro Gly Arg Met Leu Leu Gly Trp Ala Gly Leu 1 5 10 15

Leu Val Leu Ala Ala Leu Cys Leu Leu Gln Val Pro Gly Ala Gln Ala 20 25 30

Ala Ala Cys Glu Pro Val Arg Ile Pro Leu Cys Lys Ser Leu Pro Trp 35 40 45

Asn Met Thr Lys Met Pro Asn His Leu His His Ser Thr Gln Ala Asn 50 55 60

Ala Ile Leu Ala Met Glu Gln Phe Glu Gly Leu Leu Gly Thr His Cys 70 75 80

Ser Pro Asp Leu Leu Phe Phe Leu Cys Ala Met Tyr Ala Pro Ile Cys 85 90 95

Thr Ile Asp Phe Gln His Glu Pro Ile Lys Pro Cys Lys Ser Val Cys 100 105 110

Glu Arg Ala Arg Gln Gly Cys Glu Pro Ile Leu Ile Lys Tyr Arg His 115 120 125

Ser Trp Pro Glu Ser Leu Ala Cys Asp Glu Leu Pro Val Tyr Asp Arg 130 135 140

Gly Val Cys Ile Ser Pro Glu Ala Ile Val Thr Ala Asp Gly Ala Asp 145 150 155 160

Phe Pro Met Asp Ser Ser Thr Gly His Cys Arg Gly Ala Ser Ser Glu 165 170 175

Arg Cys Lys Cys Lys Pro Val Arg Ala Thr Gln Lys Thr Tyr Phe Arg 180 185 190

Asn Asn Tyr Asn Tyr Val Ile Arg Ala Lys Val Lys Glu Val Lys Met
195 200 205

Lys Cys His Asp Val Thr Ala Val Val Glu Val Lys Glu Ile Leu Lys 210 215 220

Ala Ser Leu Val Asn Ile Pro Arg Asp Thr Val Asn Leu Tyr Thr Thr 225 230 235 240

Ser Gly Cys Leu Cys 245 Pro Pro Leu Thr Val Asn Glu Glu Tyr Val Ile Met Gly Tyr Glu Asp Glu Glu Glu Arg Ser Arg Leu Leu Leu Val Glu Gly Ser Ile Ala 275 Glu Lys Trp Lys Asp Arg Leu Gly Lys Lys Val Lys Arg Arg Asp Arg Leu Gly Lys Cys Val Lys Arg Ser Trp Asp Met Lys Leu Arg His 295 Leu Gly Leu Gly Lys Thr Asp Ala Ser Asp Ser Thr Gln Asn Gln Lys Ser Gly Arg Asn Ser Asn Pro Arg Pro 305

Ala Arg Ser

### (2) INFORMATION FOR SEQ ID NO:8:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 2176 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: cDNA
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:8:

AAGCCTGGGA CCATGGTCTG	CTGCGGCCCG	GGACGGATGC	TGCTAGGATG	GGCCGGGTTG	60
CTAGTCCTGG CTGCTCTCTG	CCTGCTCCAG	GTGCCCGGAG	CTCAGGCTGC	AGCCTGTGAG	120
CCTGTCCGCA TCCCGCTGTG	CAAGTCCCTT	CCCTGGAACA	TGACCAAGAT	GCCCAACCAC	180
CTGCACCACA GCACCCAGGC	TAACGCCATC	CTGGCCATGG	AACAGTTCGA	AGGGCTGCTG	240
GGCACCCACT GCAGCCCGGA	TCTTCTCTTC	TTCCTCTGTG	CAATGTACGC	ACCCATTTGC	300
ACCATCGACT TCCAGCACGA	GCCCATCAAG	CCCTGCAAGT	CTGTGTGTGA	GCGCGCCCGA	360
CAGGGCTGCG AGCCCATTCT	CATCAAGTAC	CGCCACTCGT	GGCCGGAAAG	CTTGGCCTGC	420
GACGAGCTGC CGGTGTACGA	CCGCGGCGTG	TGCATCTCTC	CTGAGGCCAT	CGTCACCGCG	480
GACGGAGCGG ATTTTCCTAT	GGATTCAAGT	ACTGGACACT	GCAGAGGGGC	AAGCAGCGAA	540
CGTTGCAAAT GTAAGCCTGT	CAGAGCTACA	CAGAAGACCT	ATTTCCGGAA	CAATTACAAC	600

[Page 15]

TATGTCATCC	GGGCTAAAGT	TAAAGAGGTA	AAGATGAAAT	GTCATGATGT	GACCGCCGTT	660
GTGGAAGTGA	AGGAAATTCT	AAAGGCATCA	CTGGTAAACA	TTCCAAGGGA	CACCGTCAAT	720
CTTTATACCA	CCTCTGGCTG	CCTCTGTCCT	CCACTTACTG	TCAATGAGGA	ATATGTCATC	780
ATGGGCTATG	AAGACGAGGA	ACGTTCCAGG	TTACTCTTGG	TAGAAGGCTC	TATAGCTGAG	840
AAGTGGAAGG	ATCGGCTTGG	TAAGAAAGTC	AAGCGCTGGG	ATATGAAACT	CCGACACCTT	900
GGACTGGGTA	AAACTGATGC	TAGCGATTCC	ACTCAGAATC	AGAAGTCTGG	CAGGAACTCT	960
AATCCCCGGC	CAGCACGCAG	CTAAATCCTG	AAATGTAAAA	GGCCACACCC	ACGGACTCCC	1020
TTCTAAGACT	GGCGCTGGTG	GACTAACAAA	GGAAAACCGC	ACAGTTGTGC	TCGTGACCGA	1080
TTGTTTACCG	CAGACACCGC	GTGGCTACCG	AAGTTACTTC	CGGTCCCCTT	TCTCCTGCTT	1140
CTTAATGGCG	TGGGGTTAGA	TCCTTTAATA	TGTTATATAT	TCTGTTTCAT	CAATCACGTG	1200
GGGACTGTTC	TTTTGCAACC	AGAATAGTAA	ATTAAATATG	TTGATGCTAA	GGTTTCTGTA	1260
CTGGACTCCC	TGGGTTTAAT	TTGGTGTTCT	GTACCCTGAT	TGAGAATGCA	ATGTTTCATG	1320
TAAAGAGAGA	ATCCTGGTCA	TATCTCAAGA	ACTAGATATT	GCTGTAAGAC	AGCCTCTGCT	1380
GCTGCGCTTA	TAGTCTTGTG	TTTGTATGCC	TTTGTCCATT	TCCCTCATGC	TGTGAAAGTT	1440
ATACATGTTT	ATAAAGGTAG	AACGGCATTT	TGAAATCAGA	CACTGCACAA	GCAGAGTAGC	1500
CCAACACCAG	GAAGCATTTA	TGAGGAAACG	CCACACAGCA	TGACTTATTT	TCAAGATTGG	1560
CAGGCAGCAA	AATAAATAGT	GTTGGGAGCC	AAGAAAAGAA	TATTTTGCCT	GGTTAAGGGG	1620
CACACTGGAA	TCAGTAGCCC	TTGAGCCATT	AACAGCAGTG	TTCTTCTGGC	AAGTTTTTGA	1680
TTTGTTCATA	AATGTATTCA	CGAGCATTAG	AGATGAACTT	ATAACTAGAC	ATCTGTTGTT	1740
ATCTCTATAG	CTCTGCTTCC	TTCTAAATCA	AACCCATTGT	TGGATGCTCC	CTCTCCATTC	1800
ATAAATAAAT	TTGGCTTGCT	GTATTGGCCA	GGAAAAGAAA	GTATTAAAGT	ATGCATGCAT	1860
GTGCACCAGG	GTGTTATTTA	ACAGAGGTAT	GTAACTCTAT	AAAAGACTAT	AATTTACAGG	1920
ACACGGAAAT	GTGCACATTT	GTTTACTTTT	TTTCTTCCTT	TTGCTTTGGG	CTTGTGATTT	1980
TGGTTTTTGG	TGTGTTTATG	TCTGTATTTT	GGGGGGTGGG	TAGGTTTAAG	CCATTGCACA	2040
TTCAAGTTGA	ACTAGATTAG	AGTAGACTAG	GCTCATTGGC	CTAGACATTA	TGATTTGAAT	2100

H H

19th 18th

#### (2) INFORMATION FOR SEQ ID NO:9:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 325 amino acids
  - (B) TYPE: amino acid
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: peptide
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:9:

Met Val Cys Gly Ser Pro Gly Gly Met Leu Leu Leu Arg Ala Gly Leu 1 5 10 15

Leu Ala Leu Ala Ala Leu Cys Leu Leu Arg Val Pro Gly Ala Arg Ala 20 25 30

Ala Ala Cys Glu Pro Val Arg Ile Pro Leu Cys Lys Ser Leu Pro Trp 35 40 45

Asn Met Thr Lys Met Pro Asn His Leu His His Ser Thr Gln Ala Asn 50 55 60

Ala Ile Leu Ala Ile Glu Gln Phe Glu Gly Leu Leu Gly Thr His Cys 65 70 75 80

Ser Pro Asp Leu Leu Phe Phe Leu Cys Ala Met Tyr Ala Pro Ile Cys 85 90 95

Thr Ile Asp Phe Gln His Glu Pro Ile Lys Pro Cys Lys Ser Val Cys 100 105 110

Glu Arg Ala Arg Gln Gly Cys Glu Pro Ile Leu Ile Lys Tyr Arg His 115 120 125

Ser Trp Pro Glu Asn Leu Ala Cys Glu Glu Leu Pro Val Tyr Asp Arg 130 135 140

Gly Val Cys Ile Ser Pro Glu Ala Ile Val Thr Ala Asp Gly Ala Asp 145 150 155 160

Phe Pro Met Asp Ser Ser Asn Gly Asn Cys Arg Gly Ala Ser Ser Glu 165 170 175

Arg	Cys	Lys	Cys 180	Lys	Pro	Ile	Arg	Ala 185	Thr	Gln	Lys	Thr	Tyr 190	Phe	Arg
Asn	Asn	Tyr 195	Asn	Tyr	Val	Ile	Arg 200	Ala	Lys	Val	Lys	Glu 205	Ile	Lys	Thr
Lys	Cys 210	His	Asp	Val	Thr	Ala 215	Val	Val	Glu	Val	Lys 220	Glu	Ile	Leu	Lys
Ser 225	Ser	Leu	Val	Asn	Ile 230	Pro	Arg	Asp	Thr	Val 235	Asn	Leu	Tyr	Thr	Ser 240
Ser	Gly	Cys	Leu	Cys 245	Pro	Pro	Leu	Asn	Val 250	Asn	Glu	Glu	Tyr	11e 255	Ile
Met	Gly	Tyr	Glu 260	Asp	Glu	Glu	Arg	Ser 265	Arg	Leu	Leu	Leu	Val 270	Glu	Gly
Ser	Ile	Ala 275	Glu	Lys	Trp	Lys	Asp 280	Arg	Leu	Gly	Lys	Lys 285	Val	Lys	Arg
Trp	Asp 290	Met	Lys	Leu	Arg	His 295	Leu	Gly	Leu	Ser	Lys 300	Ser	Asp	Ser	Ser
Asn 305	Ser	Asp	Ser	Thr	Gln 310	Ser	Gln	Lys	Ser	Gly 315	Arg	Asn	Ser	Asn	Pro 320
Arg	Gln	Ala	Arg	Asn 325											

# (2) INFORMATION FOR SEQ ID NO:10:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 1893 base pairs
    (B) TYPE: nucleic acid

  - (C) STRANDEDNESS: double
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: cDNA
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:10:

GGCGGAGCGG GCCTTTTGGC	GTCCACTGCG	CGGCTGCACC	CTGCCCCATC	TGCCGGGATC	60
ATGGTCTGCG GCAGCCCGGG	AGGGATGCTG	CTGCTGCGGG	CCGGGCTGCT	TGCCCTGGCT	120
GCTCTCTGCC TGCTCCGGGT	GCCCGGGGCT	CGGGCTGCAG	CCTGTGAGCC	CGTCCGCATC	180
CCCCTGTGCA AGTCCCTGCC	CTGGAACATG	ACTAAGATGC	CCAACCACCT	GCACCACAGC	240

ACTCAGGCCA	ACGCCATCCT	GGCCATCGAG	CAGTTCGAAG	GTCTGCTGGG	CACCCACTGC	300
AGCCCCGATC	TGCTCTTCTT	CCTCTGTGCC	ATGTACGCGC	CCATCTGCAC	CATTGACTTC	360
CAGCACGAGC	CCATCAAGCC	CTGTAAGTCT	GTGTGCGAGC	GGGCCCGGCA	GGGCTGTGAG	420
CCCATACTCA	TCAAGTACCG	CCACTCGTGG	CCGGAGAACC	TGGCCTGCGA	GGAGCTGCCA	480
GTGTACGACA	GGGGCGTGTG	CATCTCTCCC	GAGGCCATCG	TTACTGCGGA	CGGAGCTGAT	540
TTTCCTATGG	ATTCTAGTAA	CGGAAACTGT	AGAGGGGCAA	GCAGTGAACG	CTGTAAATGT	600
AAGCCTATTA	GAGCTACACA	GAAGACCTAT	TTCCGGAACA	ATTACAACTA	TGTCATTCGG	660
GCTAAAGTTA	AAGAGATAAA	GACTAAGTGC	CATGATGTGA	CTGCAGTAGT	GGAGGTGAAG	720
GAGATTCTAA	AGTCCTCTCT	GGTAAACATT	CCACGGGACA	CTGTCAACCT	CTATACCAGC	780
TCTGGCTGCC	TCTGCCCTCC	ACTTAATGTT	AATGAGGAAT	ATATCATCAT	GGGCTATGAA	840
GATGAGGAAC	GTTCCAGATT	ACTCTTGGTG	GAAGGCTCTA	TAGCTGAGAA	GTGGAAGGAT	900
CGACTCGGTA	AAAAAGTTAA	GCGCTGGGAT	ATGAAGCTTC	GTCATCTTGG	ACTCAGTAAA	960
AGTGATTCTA	GCAATAGTGA	TTCCACTCAG	AGTCAGAAGT	CTGGCAGGAA	CTCGAACCCC	1020
CGGCAAGCAC	GCAACTAAAT	CCCGAAATAC	AAAAAGTAAC	ACAGTGGACT	TCCTATTAAG	1080
ACTTACTTGC	ATTGCTGGAC	TAGCAAAGGA	AAATTGCACT	ATTGCACATC	ATATTCTATT	1140
GTTTACTATA	AAAATCATGT	GATAACTGAT	TATTACTTCT	GTTTCTCTTT	TGGTTTCTGC	1200
TTCTCTCTTC	TCTCAACCCC	TTTGTAATGG	TTTGGGGGCA	GACTCTTAAG	TATATTGTGA	1260
GTTTTCTATT	TCACTAATCA	TGAGAAAAAC	TGTTCTTTTG	CAATAATAAT	AAATTAAACA	1320
TGCTGTTACC	AGAGCCTCTT	TGCTGAGTCT	CCAGATGTTA	ATTTACTTTC	TGCACCCCAA	1380
TTGGGAATGC	AATATTGGAT	GAAAAGAGAG	GTTTCTGGTA	TTCACAGAAA	GCTAGATATG	1440
CCTTAAAACA	TACTCTGCCG	ATCTAATTAC	AGCCTTATTT	TTGTATGCCT	TTTGGGCATT	1500
CTCCTCATGC	TTAGAAAGTT	CCAAATGTTT	ATAAAGGTAA	AATGGCAGTT	TGAAGTCAAA	1560
TGTCACATAG	GCAAAGCAAT	CAAGCACCAG	GAAGTGTTTA	TGAGGAAACA	ACACCCAAGA	1620
TGAATTATTT	TTGAGACTGT	CAGGAAGTAA	AATAAATAGG	AGCTTAAGAA	AGAACATTTT	1680
GCCTGATTGA	GAAGCACAAC	TGAAACCAGT	AGCCGCTGGG	GTGTTAATGG	TAGCATTCTT	· 1740
CTTTTGGCAA	TACATTTGAT	TTGTTCATGA	ATATATTAAT	CAGCATTAGA	GAAATGAATT	1800

gud.	
÷,	Friday.
.,473	WH WITH
d. I	77
	ű
11757.11	4
	G
il.mil	H.
20	
april.	thung.
Ar aprel	Han Hash
Ħ	1. Him Luff
at' rubba nabha	35. St. 15.
at' rubba nabha	#- #m

ATAACTAGAC	ATCTGCTGTT	ATCACCATAG	TTTTGTTTAA	TTTGCTTCCT	TTTAAATAAA	1860
CCCATTGGTG	AAAGTCAAAA	АААААААА	AAA			1893